

# Hydropalat<sup>®</sup> WE 3229

**Product description** silicone based substrate wetting and anti-cratering agent with low foaming or defoaming property

**Key benefits**

- excellent substrate wetting and crater prevention
- low foaming or defoaming properties
- excellent compatibility in aqueous coating formulations

**Chemical nature** modified polysiloxane

---

## Properties

**Physical form** clear liquid

<b>Technical data</b>	active matter content	100 %
<b>(no supply specification)</b>	appearance	yellowish liquid

---

## Application

Hydropalat WE 3229 is a silicone based wetting and anti-cratering agent for all kinds of aqueous coating formulations. It combines excellent wetting with low foaming or defoaming properties.

**Formulation guideline** 0.1 - 1.0 % based on total formulation

---

## Storage

The packed product is not damaged by low temperatures or by frost. Changes in the properties of the product may occur if the product above 40°C for extended periods of time.

### Contacts worldwide

Asia  
BASF East Asia Regional Headquarters Ltd  
45/F, Jardine House  
No. 1 Connaught Place  
Central Hong Kong  
China  
[formulation-additives-asia@basf.com](mailto:formulation-additives-asia@basf.com)

North America  
BASF Corporation  
11501 Steele Creek Road  
Charlotte, NC 28273  
USA  
[formulation-additives-nafta@basf.com](mailto:formulation-additives-nafta@basf.com)

Europe  
BASF SE  
Formulation Additives  
67056 Ludwigshafen  
Germany  
[formulation-additives-europe@basf.com](mailto:formulation-additives-europe@basf.com)

South America  
BASF S.A  
Rochaverá - Crystal Tower  
Av. das Nações Unidas, 14.171  
Morumbi - São Paulo-SP  
Brazil  
[formulation-additives-south-america@basf.com](mailto:formulation-additives-south-america@basf.com)

### Validity

This Technical Data Sheet is valid for all versions of the Hydropalat® WE 3229.

### Safety

When handling this product, please comply with the advice and information given in the safety data sheet and observe protective and workplace hygiene measures adequate for handling chemicals.

### Note

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our product to ensure that any proprietary rights and existing laws and legislation are observed.

® = Registered trademark

™ = Trademark of the BASF Group, unless otherwise noted

[www.basf.com/formulation-additives](http://www.basf.com/formulation-additives)