

# **Bíosilico**. **HI.PC.0202**

(Formerly known as HI.MI00.0202)

## **High BET RH Silica for Paints & Coatings**

**Biosilico. HI.PC.0202** is a bio-based hydrophilic silica, synthesized from Rice Husk Additive for Paints & Coatings.

### **Product Benefits**

- Advanced materials with high purity from bio-based organic source,
- · Bio-compatibility, bio-degradable & eco-friendly,
- · Good porous structure and particle size distribution,
- Incorporates easily into various formulations with good rheology and texture,
- · Extremely low thermal conductivity provides great insulation,
- Excellent stability & reflective agent for thermal-barrier coatings with no deformation, no corrosion after use,
- Suitable for both non-intumescent & intumescent thermal barriers formulations,
- Non-reactive, stable, and resistant to extreme environments and temperature from -55 to 450 °C,
- Imparts excellent chemical resistance and shelf-life.

#### **Properties**

PROPERTIES	UNIT	SPECIFICATION
State		Amorphous – Micron powder
Appearance		White
Loss on Drying (2h in 105 °C)	%	Max 5.0
Bulk density	g/cm <sup>3</sup>	0.04 - 0.12
Particle size (D50)	μm	3.0 - 10.0
Surface area	m²/g	500 – 700

At time of packaging.

## **Product Information**





## Packaging

## **Biosilico HLPC.0202** is supplied in 14 kg paper bag.

#### **Storage and Handling**

- Store in closed containers under dry condition; protect the material from volatile substances and handle sensibly to minimize dust generation.
- This product should be used within 24 months from production date.

#### **Safety Data**

#### Warning

- Keep away from source of ignition to avoid spreading dust.
- Use with adequate ventilation.
- Drying and abrasive properties may cause skin, eye or respiratory irritation.
- · Avoid inhalation or prolonged contact with skin.
- If dusty conditions prevail, use gloves and adequate respirator.
- Dispose of in accordance with state and local requirement.
- See MSDS for more information.

#### **First Aid**

• Follow the rules of personal hygiene on dust inhalation and/or eye contact.

## After eye contact

- Remove contact lens if have.
- Flush open eyes with large quantity running water for at least 15 minutes.
- · Call for medical care if symptoms persist.

#### After skin contact

- Flush skin with water at least 15 minutes
- Call for medical care if symptoms persist.

#### **After inhalation**

- Supply fresh air
- · Call for medical care if complaints
- Do CPR if stop breathing.

#### After swallowing

- · Call for medical care
- Do not induce vomiting.