

Vinapor[®] DF 2922 F

Defoamer in powder form

Characteristics / Chemistry

Vinapor[®] DF 2922 F is a powder defoamer based on a silicone-free blend of surface-active and mineral substances.

Vinapor[®] DF 2922 F can be mixed with all other powder components without any problems.

Fields of Application

Fields for application are e.g.

- self-levelling underlayments (SLU)
- non-shrink grouts
- flowing floor screeds
- joint grouts
- repair mortars
- powder-based emulsion paints

Technical Data

Physical shape	powder
Appearance	characteristic, white
Bulk density, [kg/m³]	380 to 480
Dosage recommendation, [%] in relation to weight of total formulation	0.1 to 1.0 %

Further Technical Data

Packaging	20 kg paper bag
Storage	to be stored in its unopened original packaging, store dry below 40 °C and protect from excessive heat
Shelf life	18 months

Safety notes:

Comprehensive instructions are given in the corresponding Material Safety Data Sheets which are available on request.

This information and all further technical advice are based on our current knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether expressed or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of goods. Performance and suitability of the product described herein have to be verified by testing, which has to be carried out only by qualified experts in the sole responsibility of the customer. Reference to trade names used by other companies is neither a recommendation nor an implementation that similar products could not be used. Customer is obliged to keep the disclosed samples and any related information under strict confidence and shall neither analyze such samples nor disclose them to third parties. In addition our general terms and conditions for sale are valid.

Issue: May 2017

This technical note is valid until replaced by a new issue.

BASF Construction Solutions GmbH

Dr.-Albert-Frank-Straße 32, 83308 Trostberg / Germany

Tel.: +49 8621 86-16 * Fax: +49 8621 86-29 95

www.basf-construction-solutions.com * construction-solutions@basf.com